



COLLARD & ROE, P.C.  
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS

1077 Northern Boulevard  
Roslyn, New York 11576

(516) 365-9802

FAX (516) 365-9805

RECEIVED  
CENTRAL FAX CENTER

JAN 27 2004

FACSIMILE TRANSMISSION

DATE January 27, 2004

NO. OF PAGES INCLUDING COVER PAGE: 9

TO: Examiner S. Staicovici  
Group Art Unit 1732

FAX NO.: 703-872-9310

FROM: Elizabeth Collard Richter - COLLARD & ROE, P.C.  
Reg. No. 35,103

RE: U.S. Serial No. 10/068,611  
Applicant: Michael Cleary  
(Our Reference: CLEARY - 1)


If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed is an Amendment in Response to the First Office Action dated October 29, 2003.

Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,  
COLLARD & ROE, P.C.

  
Elizabeth Collard Richter  
Reg. No. 35,103

ECR:jc  
Enclosures

*This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.*

**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANT: MICHAEL CLEARY - 1

SERIAL NO.: 10/068,611

EXAMINER: S. STALCOVICI

FILED: FEBRUARY 6, 2002

GROUP: 1732

TITLE: PARTICLE PRODUCTION

**RECEIVED  
CENTRAL FAX CENTER**

JAN 27 2004

**OFFICIAL****AMENDMENT IN RESPONSE TO THE FIRST OFFICE ACTION**

ATT: MAIL STOP NON-FEE AMENDMENT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In response to the Examiner's First Office Action dated  
October 29, 2003, please amend the above-identified application  
as follows:

Amendments to the Specification begin on page 2 of this  
paper.

Amendments to the Claims begin on page 3 of this paper.

Remarks/Arguments begin on page 6 of this paper.

E:\Patent\C\CLEARY-J\Amendment 1 of 04.spt

1